Instructions for scabies treatment



Dear parents and patients,

You or your child have been found to have an infestation of itch mites, for which your doctor has prescribed permethrin-biomo Creme 5 %. The medical term for such an infestation is scabies.

You are probably worrying about how to get rid of these pests, which is why we have put together some information for you about scabies and how to use permethrin-biomo Creme 5 % correctly.

What is scabies?

Scabies mites are only about 0.3 - 0.4 mm in size, and use their powerful jaws to burrow into the upper layer of human skin. In doing so, they tend to prefer certain areas of the body, such as the hands and feet, crooks of the elbows or pubic region. Intense itching will develop in the affected areas, especially at night when it is warm in bed. The irregular, often comma-shaped burrows are visible to the naked eye or can be seen with a magnifying glass. Inflammatory reactions and scratching of the itchy skin will result in the development of longitudinal nodules or even blisters, which will later become encrusted. If you or your child are affected by scabies, this is not generally due to a lack of personal hygiene. The parasites do not make any distinction between age, cleanliness or social class. Hygiene is very important, however, if the pests are to be eradicated in the long term. More information about this can be found below.


How does scabies spread?

Scabies mites are passed from one person to another through close skin contact. The first signs of an infestation generally take 2-6 weeks to appear after contamination, or less in the event of recontamination. In community facilities, such as schools, nurseries, children's homes, retirement and nursing homes, cases of infestation are sometimes more common. This applies in particular if sleeping quarters are shared. Scabies is rarely transmitted through bedding, upholstery or wool blankets. Scabies mites can survive outside the body for three to four days, but much longer in cold and humid climates.

Our permethrin-biomo® Creme 5 % – copied from nature

The active substance in permethrin-biomo Creme 5% is permethrin, which has been developed from a natural substance found in the chrysanthemum flower. It effectively kills the mites but is well tolerated by humans.

APPLY Apply the cream to the entire body. You can exclude the head and face, unless there are scabies-infested areas present there.





How to use permethrin-biomo® Creme 5%

- Apply the cream to the entire body, including around the neck, palms of the hands and soles of the feet.
- When applying the cream, take care not to miss the areas between the fingers and toes (not forgetting under the fingernails and toenails), the wrists, crooks of the elbows, armpits, external genitals and buttocks.
- Do not wash your hands after applying the cream and while leaving it to take effect! Otherwise, you should reapply cream to the
 washed areas. It is practical to wear cotton gloves. This can be very helpful for children. If you should need to use the toilet during
 treatment, you can wear rubber gloves over the top of the cotton gloves.
- The cream must be left on the skin for at least eight hours overnight, for instance.
- After leaving on the skin for eight hours, you should rinse off the residue under the shower or wash the skin with soap and water.
 After washing off the cream, it is advisable to moisturise the skin with an ointment or oil bath, for instance. This will help to condition the affected, usually very dry areas of skin.
- As a rule, the cream only needs to be used once. If the condition persists, or you are re-infected with scabies, treatment can be
 repeated after about 14 days.
- After two and four weeks, you should have your skin examined by a doctor to check whether any burrows remain or any new
 ones have appeared.
- The itching usually lasts a few days to weeks, even if the mites are successfully eradicated by a single treatment. Your doctor can prescribe a suitable treatment to relieve the itching.
- Persons with whom you are in close contact should be examined thoroughly and likewise be treated if they are also suspected to have a scabies infestation. In certain cases, such as in the family or community facility, it is wise for other individuals to be treated even if they have no visible signs of the itch mites. You should consult your doctor in such cases.

What else can be done?

- Keep your fingernails trimmed and clean, since they offer the mites a place to hide and can cause damage in the event of
 intense itching.
- Change your clothing, bed linen and towels on a daily basis for a period of 4 days and wash at a minimum of 60°C
- The textiles can be freed from mites by machine washing at a minimum of 60°C.
- Clothing that cannot be washed at 60°C and other items, such as cuddly toys and shoes, should be kept in sealed plastic bags for a few days.
- Use a vacuum cleaner to thoroughly clean rugs, carpets and upholstery. This will generally suffice to remove any stray mites from your home.
- Do not use the bed linen, towels, pillows, blankets, combs, etc., of other people in the household.
- Pesticides are not recommended in the home. Disinfectants are not effective against itch mites.

Please note: The content of this sheet is for information purposes only and cannot under any circumstances replace medical advice. If you have any specific questions, please consult your doctor.

